



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS.

UNITED STATES.

[Reports to the Surgeon-General, Public Health and Marine-Hospital Service.]

THE PREVALENCE OF PELLAGRA IN THE UNITED STATES—A STATISTICAL AND GEOGRAPHICAL NOTE, WITH BIBLIOGRAPHY.

By C. H. LAVINDER, Passed Assistant Surgeon, United States Public Health and Marine-Hospital Service; C. F. WILLIAMS, M. D., Secretary South Carolina State Board of Health and State Health Officer; and J. W. BABCOCK, M. D., Physician and Superintendent State Hospital for the Insane, Columbia, S. C.

Forty-five years ago 2 cases of probable pellagra with mental symptoms were reported by Doctor Gray, of Utica, N. Y., and Doctor Tyler, of Somerville, Mass., at the annual meeting of American Asylum Physicians, held in Washington, D. C. Exclusive of 1 case reported by Dr. H. F. Harris, of Georgia, and 1 by Dr. S. Sherwell, of Chicago, in 1902, the disease has since 1864 till recently, 1906-7, either disappeared or been overlooked, or, which is more likely, the physician when first studying one of these puzzling cases and inclining to the diagnosis of pellagra has accepted too readily the assertion of all authorities that pellagra does not exist in the United States, and has therefore given another name to his case (see final note), although his professional conscience may never have been satisfied.

In spite of authoritative denial of the existence of pellagra in this country, a number of cases of the disease were recognized and reported in 1907 independently by medical officers of Alabama and South Carolina asylums. In the summer of 1908 the disease was identified with Italian pellagra by two South Carolina physicians who visited Italy for the purpose of studying the disease. Following these observations, pellagra has been observed in many different localities, such as Wilmington, Morganton, and Charlotte, N. C., Augusta, Milledgeville, and Atlanta, Ga., and in many places in South Carolina, as well as in other States.

For the last year and a half the South Carolina State board of health has been actively investigating the pellagra problem by special inquiry, conference, and original research with the cooperation of Surgeon-General Wyman, of the United States Public Health and Marine-Hospital Service, who has assigned one of the present writers (C. H. L.) to duty at Columbia and vicinity for this purpose.

Recently a letter of inquiry (see below) about pellagra was addressed by another of the present writers (C. F. W.) to the superintendents of state hospitals for the insane in the United States, and the following table embodies their replies:

To 164 inquiries 120 replies were received, about 20 being in the affirmative.

New York: Number of cases, few (near Brooklyn).

Pennsylvania (Dixmont): Number of cases, 1; recognized, 1909 (Hungarian).

Maryland: Number of cases, 1 or 2; recognized, 1909; probably existed since 1905: male, 1; female, 1.

Virginia (Staunton): Number of cases, 1 (?); recognized, 1908.

Virginia (Petersburg): Number of cases, 1 (?).

North Carolina (Raleigh): Number of cases, several; recognized, 2 or 3 years; probably existed 10 years.

North Carolina (Goldsboro): Number of cases, 8; recognized, 1908; probably existed 10 years; female, 8.

North Carolina (Doctor Taylor, Morganton): Number of cases, 8; probably existed 22 years.

North Carolina (Doctor McCampbell, Morganton): Number of cases, 20; probably existed 5 years.

North Carolina (Doctor Wood, Wilmington): Number of cases, 75 in State.

South Carolina State Hospital: Number of cases, 125; recognized, 1907; probably existed 20 to 30 years; male, 25 per cent; female, 75 per cent.

South Carolina (Doctor Williams, Columbia): Number of cases, 500 estimated in State.

Georgia (Grady Hospital, Atlanta): Number of cases, 10; recognized, 1907.

Georgia (State Sanitarium, Milledgeville): Number of cases, 225; recognized, 1907; probably existed about 25 years; male, 25 per cent; female, 75 per cent.

Florida (State Hospital, Chattahoochee): Number of cases, 12; recognized, 1907; probably existed 4 years; male, 5; female, 7.

Alabama (Mount Vernon Hospital): Number of cases, 154, and 2 private; recognized, 1906; probably existed since 1906; male, small number; female, large number. Dr. G. H. Searcy estimates 150 to 200 cases in State.

Mississippi (Jackson): Number of cases, 1; other cases in State.

Mississippi (Meridian): Number of cases, 2; recognized, 1907 (?); male, 1; female, 1.

Louisiana (Pineville): Number of cases, 3.

Tennessee (Baptist Orphans' Home, Nashville): Number of cases, 11.

Kansas (Topeka): Number of cases, 6 (?); probably existed 15 years; male, 3; female, 3.

Kansas (Epileptic colony, Parsons): Number of cases, 1; probably existed, native.

This table seems to show that there are records of about 1,000 cases of pellagra scattered in 13 States. More than half of these have been reported from asylums or similar institutions. Sporadic or suspected cases have been reported from Texas and Arkansas, as well as from New York.

Dr. E. J. Wood, of Wilmington, N. C., has records of 300 cases in the South, 75 of which occurred in North Carolina. It has been estimated that hundreds of cases exist in Georgia, and Doctor Walker, of the State Sanitarium, Milledgeville, says that 2 per cent of over 947 admissions in 1908 were cases of pellagra.

One of the present writers (C. H. L.) has reported to the Surgeon-General a conservative estimate of 1,500 cases in the Southern States since 1906.

The asylum officers in Maryland have not observed cases, but Dr. W. S. Thayer, of the Johns Hopkins Hospital, has recently recognized and reported a case of the disease in Baltimore and is satisfied that he observed a similar case several years ago (1905).

The disease does not seem to have appeared in the Tennessee Hospital for the Insane, but 11 cases of pellagra have been reported as occurring in the Baptist Orphans' Home at Nashville.

Doctor Dewing, of the Long Island State Hospital, Flatbush, Brooklyn, N. Y., reports that he has had no cases of pellagra in his hospital, but "a few cases apparently from other sections of the country" have been observed in that vicinity.

One of the present writers observed in New York, in 1908, a case of the disease in a white American seaman in the coastwise service.

Although not within the boundaries of the United States, it deserves passing note that Dr. B. K. Ashford has reported the observation of 1 case in Porto Rico, and Dr. J. A. Hayne has observed 2 cases on the Panama Canal Zone.

While absolute accuracy is not claimed for these statistics, they may be regarded as a fair indication of the extent and distribution of pellagra as now recognized in this country, and their presentation at this time is made for the purpose of emphasizing the growing importance of the pellagra problem in the United States.

The following interrogations are used by one of the present writers (C. F. W.) in gathering statistics of pellagra:

1. Have you seen any case of pellagra in your institution or in your State?
 2. How many cases have you seen?
 3. How long since you recognized the disease?
 4. If at all, how long do you think the disease has existed in your section?
 5. What proportion were male? Female?
 6. What was the occupation of those affected? Nationality?
 7. Do the products of Indian corn (hominy or meal) form a part of the dietary of the patients and are those products derived from native or shipped corn?
 8. Were your patients from the poor, moderate, or well-to-do classes?
- And were they from the city, town, or country?
- M. D.,
Superintendent.....
State of

BIBLIOGRAPHY.

1864. Tyler & Gray, American Journal Insanity, October.
1902. Harris, H. F., Ankylostomiasis in an individual presenting all typical symptoms of pellagra.—American Med. Assn., IV-3-99.
1902. Sherwell, S., A note relative to a case of pellagra.—Trans. American Dermat. Association, 1902.
1907. Searcy, G. H., Epidemic acute pellagra.—Journal American Medical Association, XLIX-1-37.
1907. Merrill, T. C., Sporadic case diagnosed as pellagra.—Journal American Medical Association, XLIX-11-940.
1907. Harris, H. F., Pellagra.—Georgia State Board of Health, Fourth Annual Report.
1907. Babcock, J. W., What are pellagra and pellagrous insanity, etc.?—South Carolina State Board of Health, Annual Report, 1907, and American Journal Insanity, April, 1908.
1908. Wood, E. J., Symptoms and diagnosis; McCampbell, John, Observations on; Lavinder, C. H., Etiology and pathology; discussion.—Symposium on pellagra at meeting North Carolina Medical Society, 1908.
1908. Bellamy, R. H., Pellagra, its occurrence in this country.—Report of a case, Journal American Medical Association, LI-5-397.
1908. Lavinder, C. H., Pellagra, a précis.—United States Public Health and Marine-Hospital Service.
1908. Conference on pellagra, Columbia, S. C., October 29, South Carolina State Board of Health, Annual Report, 1908. (Contains fifteen papers on the etiology, pathology, diagnosis, and treatment of pellagra, with many clinical histories by physicians of North Carolina, South Carolina, and Georgia.
1908. King, J. M., Pellagra with report of cases.—Southern Medical Journal, Vol. 1-5-289.
1908. Moore, N. M., Pellagra, report of case with remarks on etiology.—Journal American Medical Association, LI-13-1076.
1908. Wood, E. J., Paper read at Philadelphia, not yet published.
1908. Leach, S., A case of pellagra.—Trans. Ala. Med. Assn., 1908.
1908. Searcy, G. H., Pellagra in Southern States.—N. O. Med. & Surg. Journal, Vol. LXI-6-413.
1909. Randolph, Jas. H., Notes on pellagra and pellagrins—Arch. Int. Med., 1909.

1909. McCafferty, E. L., Pellagra among colored insane at Mount Vernon Hospital.—
Mobile Med. & Surg. Journal; Gulf States Jour. Med. & Surg., April 11.
1909. Watson, J. J., Pellagra.—N. Y. Medical Journal, LXXXIX—19—1936.
1909. Moore, N. M., Prevalence pellagra in United States; Alsberg, C. L., Relation
of production and utilization of maize to pellagra; Lavinder, C. H., Etiology
of pellagra; discussion.—Symposium at meeting American Society Trop.
Medicine, 1909.
1909. Thomas, J. N., Report of cases, Asylum, Pineville, La.—About to appear, N.
O. Medical Journal.
1909. Thayer, W. S., Report of two cases of pellagra.—About to appear in Bulletin
Johns Hopkins Hospital.

NOTE.—There seems little doubt that the condition now recognized as pellagra has existed in the Southern States for many years—25 or 30 at least—and has been regarded as an unusual manifestation of tuberculosis, syphilis, malaria, acute delirium, hook-worms, dermatitis exfoliativa, eczema, etc. Careful search through medical literature may disclose the fact that cases of pellagra have been reported under these or other diagnoses.

Reports from San Francisco, Cal.—Plague-prevention work at San Francisco, Oakland, and Point Richmond and in Alameda and Contra Costa counties, Cal.

Surgeon Blue reports:

SAN FRANCISCO, CAL.

Date of last case of human plague: Sickened, January 30, 1908.

Date of last case of rodent plague: October 23, 1908.

Week ended May 22, 1909.

Dead inspected.....	110
Plague.....	0
Premises inspected.....	2, 514
Houses disinfected.....	57
Buildings condemned.....	5
Houses destroyed.....	2
Nuisances abated.....	317
<hr/>	
Rats found dead.....	56
Rats trapped.....	2, 494
<hr/>	
Total rats taken.....	2, 550
<hr/>	
Rats identified:	
Mus norvegicus.....	1, 963
Mus rattus.....	66
Mus musculus.....	477
Mus alexandrinus.....	17
<hr/>	
Total.....	2, 523
<hr/>	
Rats identified as to sex:	
Male.....	953
Female.....	1, 012
<hr/>	
Total.....	1, 965
<hr/>	
Gophers trapped.....	21
Rabbits trapped.....	1
Rats examined bacteriologically.....	1, 612
Plague rats.....	0
Gophers examined bacteriologically.....	21
Plague gophers.....	0